

Version 1.2	Revision Date 02/05/2018	Print Date 02/27/2018				
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION						

Material name	:	BZ7579 ZC SF GLASS CLEAN ZU1120128 4/1G
Material number	:	0000000001041684
Manufacturer or supplier's	deta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

## Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

### Recommended use of the chemical and restrictions on use

Recommended use : Glass Cleaner

### SECTION 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

Appearance	liquid
Colour	dark, blue
Odour	pleasant

### **GHS** Classification

Flammable liquids	: Category 4
GHS label elements	
Signal word	: Warning
Hazard statements	: H227 Combustible liquid.
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.</li> <li>P280 Wear protective gloves/ eye protection/ face protection.</li> <li>Response:</li> <li>P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.</li> <li>Storage:</li> <li>P403 + P235 Store in a well-ventilated place. Keep cool.</li> <li>Disposal:</li> <li>P501 Dispose of contents/container in accordance with local regulation.</li> </ul>



Version 1.2

Revision Date 02/05/2018

Print Date 02/27/2018

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
2-butoxyethanol	111-76-2	>= 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

#### **SECTION 4. FIRST AID MEASURES**

General advice	:	Do not leave the victim unattended. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. Do not leave the victim unattended.
lf inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist. Keep eye wide open while rinsing. Rinse immediately with plenty of water for at least 15 minutes.
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	Effects may be delayed, symptoms may include minor eye or skin irritation. Overexposure may cause mild eye or skin irritation.
Notes to physician	:	Treat symptomatically. Symptoms may be delayed.

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Carbon dioxide (CO2)
	Water spray jet
	Alcohol-resistant foam



Version 1.2	Revision Date 02/05/2018	Print Date 02/27/2018
	Dry chemical	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fighti courses.	ng to enter drains or water
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures that a circumstances and the surrounding	
Further information	: For safety reasons in case of fire, separately in closed containments Use a water spray to cool fully clo	
Special protective equipment for firefighters	: Wear self-contained breathing appreciation of the self-contained breathing appreciatined breathing appreciati	paratus for firefighting if

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	:	Neutralise with acid. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid contact with skin and eyes. For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Avoid exposure - obtain special instructions before use. Take precautionary measures against static discharges.</li> </ul>
Conditions for safe storage	<ul> <li>No smoking.</li> <li>Keep in a well-ventilated place.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>



Version 1.2

Revision Date 02/05/2018

Print Date 02/27/2018

Materials to avoid

: Oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0
		PEL	20 ppm 97 mg/m3	CAL PEL

#### **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-BUTOXYETHANOL	111-76-2	Butoxyacetic	Urine	End of	200.mg/g	ACGIH BEI
		acid (BAA)		shift (As	Creatinine	
				soon as		
				possible		
				after		
				exposure		
				ceases)		

Engineering measures		effective	ventilation	in all	processing area	26
	•	enective	ventilation	iii aii	processing area	33

Personal protective equipme	nt	
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection		
Material	:	Protective gloves
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Safety glasses
Skin and body protection	:	Impervious clothing
		Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink.
		When using do not smoke.
		Wash hands before breaks and at the end of workday.



Version 1.2

Revision Date 02/05/2018

Print Date 02/27/2018

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: dark, blue
Odour	: pleasant
Odour Threshold	: No data available
рН	: 10.5 - 11.5
Melting point/freezing point	: No data available
Boiling point	: 96.1 °C
Flash point	: 76.7 °C Method: closed cup
Evaporation rate	: 1
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: not determined
	No data available
Relative vapour density	: No data available
Density	: 0.998 g/cm3
Solubility(ies)	
Water solubility	: soluble in cold water, soluble in hot water
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.



Version 1.2	Revision Date 02/05/2018	Print Date 02/27/2018
Incompatible materials	: Oxidizing agents	
Hazardous decomposition products	: Carbon oxides	

### SECTION 11. TOXICOLOGICAL INFORMATION

**Potential Health Effects** 

Folential Health Lifetis	
Aggravated Medical Condition	: None known.
Symptoms of Overexposure	: Effects may be delayed, symptoms may include minor eye or skin irritation.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans 2-butoxyethanol 111-76-2
OSHA	ethanol 64-17-5 No component of this product present at levels greater than or
NTP	equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
<b>2-butoxyethanol:</b> Acute oral toxicity	: LD50 Oral Rat: 880 mg/kg
Acute dermal toxicity	: LD50 Dermal Rabbit: 1,060 mg/kg



Version 1.2

Revision Date 02/05/2018

Print Date 02/27/2018

#### Skin corrosion/irritation

#### Product:

Remarks: May cause skin irritation and/or dermatitis.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Contact with eyes may cause irritation.

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

#### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

### Further information

### Product:

Remarks: No data available

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

No data available Bioaccumulative potential

Product:



Version 1.2	Revision Date 02/05/2018	Print Date 02/27/2018
Partition coefficient: n- octanol/water	: Remarks: No data available	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec Substances	,
Remarks	This product neither contains, n with a Class I or Class II ODS a Clean Air Act Section 602 (40 C + B).	is defined by the U.S.
Additional ecological information	: No data available	

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Dispose of in accordance with local regulations.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>The product should not be allowed to enter drains, water courses or the soil.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air):

### SAFETY DATA SHEET



# BZ7579 ZC SF GLASS CLEAN ZU1120128 4/1G

Version 1.2

Revision Date 02/05/2018

Print Date 02/27/2018

NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

#### SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ammonia, aqueous solution	1336-21-6	1000	*
*: Calculated RQ exceeds reaso	nably attainable up	per limit.	
SARA 304 Extremely Hazardo	us Substances Re	portable Quantity	
This material does not contain a	iny components with	h a section 304 EHS	RQ.
SARA 311/312 Hazards	Flammable (gases	s. aerosols. liquids. or	solids)

SARA SI I/SIZ Hazalus	•	Flammable (gases, aerosois, liquius,	or solius)	
SARA 302		No chemicals in this material are sub requirements of SARA Title III, Secti	, ,	ıg
SARA 313		The following components are subject established by SARA Title III, Section		ls
		2-butoxyethanol	111-76-2	2.001 %
California Prop. 65				
		This product does not contain any California to cause cancer, birth de reproductive harm.		

#### The components of this product are reported in the following inventories:



|--|


TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

### **SECTION 16. OTHER INFORMATION**



#### **OSHA - GHS Label Information:**

Signal word		
Hazard statements		
Precautionary statements		

Warning:

Combustible liquid.

Prevention: Keep aw ay from heat/sparks/open flames/hot surfaces. No smoking. Wear protective gloves/eye protection/face protection. Response: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local regulation.

Version:	1.2
Revision Date:	02/05/2018
Print Date:	02/27/2018

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.



Version 1.2

Revision Date 02/05/2018

Print Date 02/27/2018

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.